

**TW** Chemical Products Scandinavia



**Kema<sup>®</sup>**  
**Registered**



## **Kema** VET-68

### Steril Olie

- Pharmaceutical oil
- Does not contaminate
- Does not discolour manufactured goods
- Odourless
- Colourless and non-drip
- Can stand water- and steam rinsing
- Temp. range: -18°C to +185°C.

Article no.: 19675  
Content: 500ml spray



## **Kema** CS-1300

### Release Agent

- Against static electricity
- Food safe lubricant
- For plastic- and injection presses
- Can be used in the food industry
- Prevents seizure at high temp -50 to +200°C
- For movable and stationary parts
- Lubricating properties
- Colourless

Article no.: 17395  
Content: 500ml spray



## **Kema** USD-H1

### Synthetic Oil

- Suitable as lubrication for machinery in the food industry
- For lubrication of conveyors, gear wheels, chains, bearings etc.
- Temp. -30°C to +180°C
- adhesive properties

Article no.: 24505  
Content: 500ml spray



## **Kema** RH-200

### Release Agent

- Prevents friction and adhesion of PVC and rubbermaterials
- For graphic equipment
- Food safe lubricant
- Does not run
- Effective up to +200°C

Article no.: 19415  
Content: 500ml spray



## **Kema** SIL-10

### **Poly-Slip**

- Friction reducing agent
- With cleaning properties, based on silicone
- For the food industry
- Dry, colourless and odourless
- Temp. -60°C to +200°C
- Heatresistant
- Note: Sil-10 should not be used in areas, where paint jobs etc. are carried out



Article no.: 19155

Content: 500ml spray



## **Kema** SC-4

### **Silicone grease**

- Against rust on chromium plated parts
- For ignition systems
- Moisture-repellent properties
- In locks - anti-freeze
- Lubricating properties
- From -50°C to +200°C



Article no.: 19285

Content: 500ml spray



**www.kema.dk**



**VET-68 Steriles Öl  
USD-H1 Vollsynthetisches Öl**

**CS-1300 Trenn Mittel  
RH-200 Anti-Half-Mittel**

**SIL-10 Poly Slip  
SC-4 Silikonfett**



***ITW* Chemical Products Scandinavia**

*Priorsvej 36  
DK-8600 Silkeborg  
Telefon.: +45 86 82 64 44  
Fax: +45 86 82 64 64  
e-mail: [info@itw-scan.com](mailto:info@itw-scan.com)  
[www.itw-scan.com](http://www.itw-scan.com)*